



3 2044 106 357 692

4978 114
17
42
W14

Arnold Arboretum Library




THE GIFT OF
FRANCIS SKINNER
OF DEDHAM
IN MEMORY OF
FRANCIS SKINNER
(H. C. 1862)

Received April, 1908.



Digitized by the Internet Archive
in 2017 with funding from
BHL-SIL-FEDLINK

1



Flora Britannica Indigena:

O R
P L A T E S
O F T H E
INDIGENOUS PLANTS
O F
G R E A T B R I T A I N :
W I T H T H E I R
D E S C R I P T I O N S

TAKEN FROM
LINNÆUS'S *Systema Naturæ*:

To which are added their

English Names, Places of Growth, and Times of Flowering.

By JOHN WALCOTT, Esq.

Consider the Lillies of the Field how they grow: they toil not, neither do they spin; And yet I say unto you, That Solomon in all his glory was not arrayed like one of these. Matt. vi. 28, 29.

Printed for the A U T H O R,
By S. HAZARD, BATH:

And sold by JAMES MATHEWS, N^o. 18, Strand, LONDON;
FLETCHER at OXFORD, FLETCHER and HODSON at CAM-
BRIDGE; S. HAZARD, BATH; and all other Bookfellers.

M.DCC.LXXXVIII.

ARNOLD
ARBORETUM
HARVARD
UNIVERSITY



T O T H E

P U R C H A S E R.

THE wish of the EDITOR by this Publication, is to offer the Public cheap figures of the Indigenous Plants of *Great-Britain*: to enable him to do this, the figures are not shaded; the size of the work (to make it more portable) forbids the representing the Plants as large as Nature has formed them: the Parts of Fructification are excepted; which are of their natural Size, and faithfully delineated.

8091. 24 A

17952

TO THE

PURCHASER.

THE wish of the Editor by this Publication, is to offer the Publisher cheap figures of the indigenous Plants of Great-Britain: to enable him to do this, the figures are not shaded; the face of the work (to make it more portable) forbids the representing the Plants as large as Nature has formed them: the Parts of Fructification are excepted; which are of their natural size, and faithfully delineated.

REGNUM VEGETABILE.

CLAVIS SYSTEMATIS SEXUALIS.

NUPTIÆ PLANTARUM.

Actus generationis incolarum Regni vegetabilis.

Florescentia.

PUBLICÆ.

Nuptiæ. omnibus manifestæ, aperte celebrantur.

Flores unicuique visibiles.

MONOCLINIA.

Mariti et uxores uno eodemque thalamo gaudent.

Flores omnes hermaphroditi: stamina cum pistillis in eodem flore.

DIFFINITAS.

Mariti inter se non cognati.

Stamina nulla sua parte connata inter se sunt.

INDIFFERENTISMUS.

Mariti absque subordinatione.

Stamina longitudine indeterminata.

1. MONANDRIA.

2. DIANDRIA.

3. TRIANDRIA.

4. TETRANDRIA.

5. PENTANDRIA.

6. HEXANDRIA.

7. HEPTANDRIA.

8. OCTANDRIA.

9. ENNEANDRIA.

10. DECANDRIA.

11. DODECANDRIA.

12. ICOSANDRIA.

13. POLYANDRIA.

SUBORDINATIO.

Mariti certi reliquis præferuntur.

Stamina duo semper reliquis breviora sunt.

14. DIDYNAMIA.

15. TETRADYNAMIA.

AFFINITAS.

Mariti propinqui et cognati sunt.

Stamina cohærent vel inter se, vel cum pistillo.

16. MONADELPHIA.

19. SYNGENESIA.

17. DIADELPHIA.

20. GYNANDRIA.

18. POLYADELPHIA.

DICLINIA. (a $\delta\iota\varsigma$ bis et $\kappa\lambda\iota\nu\eta$ thalamus) duplex thalamus.

Mariti et feminæ distinctis thalamis gaudent.

Flores masculi et feminei in eadem specie.

21. MONŒCIA.

23. POLYGAMIA.

22. DICECIA.

CLANDESTINÆ.

Nuptiæ clam instituuntur.

Flores oculis nostris nudis vix conspiciuntur.

24. CRYPTOGAMIA.

CLASSIUM CHARACTERES.

- I. MONANDRIA. a *μνος* unicus, et *ανηρ* maritus.
 Maritus unicus in matrimonio.
Stamen unicum in flore hermaphrodito.
- II. DIANDRIA.
 Mariti duo in eodem conjugio.
Stamina duo in flore hermaphrodito.
- III. TRIANDRIA.
 Mariti tres in eodem conjugio.
Stamina tria in flore hermaphrodito.
- IV. TETRANDRIA.
 Mariti quatuor in eodem conjugio.
Stamina quatuor in eodem flore cum fructu.
(Si Stamina 2 proxima breviora sunt, referatur ad Claf. 14.)
- V. PENTANDRIA.
 Mariti quinque in eodem conjugio.
Stamina quinque in flore hermaphrodito.
- VI. HEXANDRIA.
 Mariti sex in eodem conjugio.
Stamina sex in flore hermaphrodito.
(Si ex his Stamina 2 opposita breviora pertinent ad Claf. 15.)

VII.

VII. HEPTANDRIA.

Mariti septem in eodem conjugio.

Stamina septem in flore eodem cum pistillo.

VIII. OCTANDRIA.

Mariti octo in eodem thalamo cum femina.

Stamina octo in eodem flore cum pistillo.

IX. ENNEANDRIA.

Mariti novem in eodem thalamo cum femina.

Stamina novem in flore hermaphrodito.

X. DECANDRIA.

Mariti decem in eodem conjugio.

Stamina decem in flore hermaphrodito.

XI. DODECANDRIA.

Mariti duodecim ad novendecim in eodem conjugio.

Stamina duodecim ad novendecim in flore hermaphrodito.

XII. ICOSANDRIA. ab *εικοσι* viginti et *ων* maritus.

Mariti viginti communiter, sæpe plures.

Stamina (non receptaculo) calycis lateri interno adnata.

XIII. POLYANDRIA. a πολυς et ανηρ
Mariti viginti et ultra in eodem, cum
femina, thalamo.

*Stamina receptaculo inserta a 20 ad 1000
in eodem, cum pistillo, flore.*

XIV. DIDYNAMIA. δις bis, et δυναμις po-
tentia.

Mariti quatuor, quorum 2 longiores, et
2 breviores.

*Stamina quatuor: quorum 2 proxima longi-
ora sunt.*

XV. TETRADYNAMIA.

Mariti sex quorum 4 longiores in flore
hermaphrodito.

*Stamina sex: quorum 4 longiora, 2 autem
opposita breviora.*

XVI. MONADELPHIA. α' μόνος unicus, et
αδελφος frater.

Mariti, ut fratres, ex una basi proveni-
unt.

Stamina filamentis in unum corpus coalita sunt.

XVII. DIADELPHIA.

Mariti e duplici basi, tanquam e dupli-
ci matre, oriuntur.

*Stamina filamentis in duo corpora connata
sunt.*

XVIII.

XVIII. POLYADELPHIA.

Mariti ex pluribus, quam duabus, matribus orti sunt.

Stamina filamentis in tria, vel plura, corpora coalita.

XIX. SYNGENESIA. a συν fimul, et γενεσις generatio.

Mariti genitalibus fœdus constituerunt.

Stamina antheris (raro filamentis) in cylindrum coalita.

XX. GYNANDRIA. a γυνή femina, et ανηρ maritus Mariti cum feminis monstrose connati. *Stamina pistillis (non receptaculo) infident.*

XXI. MONŒCIA. a μονος unicus, et οικια domus.

Mares habitant cum feminis in eadem domo, sed diverso thalamo.

Flores masculi et feminei in eadem planta sunt.

XXII. DICECIA.

Mares et feminæ habitant in diversis thalamis et domiciliis.

Flores masculi in diversa planta a femineis progenerantur.

XXIII.

XXIII. POLYGAMIA. α πολυς, et γαμος nuptiæ.

Mariti cum uxoribus, et innuptis cohabitant in distinctis thalamis.

Flores hermaphroditi, et masculi aut feminei in eadem specie.

XXIV. CRYPTOGAMIA. α κρυπτος occultus, et γαμος nuptiæ.

Nuptiæ clam celebrantur.

Flores intra fructum vel singulari modo occultati.



O R D I N E S.

A feminis seu pistillis, ut classes a Maribus, seu staminibus, desumuntur; in classe Syngenesiæ autem a cæteris differunt ordines; ex: gratia.

MONOGYNIA. DIGYNIA, TRIGYNIA, &c.
α γυνη femina, præpositis numeris
Græcis μονος, δις, τρεις, τεσσαρες, &c.
i. e. Pistillum 1. 2. 3. 4. &c. Numerus
hic pistilli desumitur a Basi styli; si stylus
autem deficiat, a numero Stigmatum calculus fit.

POLYGAMIA

POLYGAMIA, ÆQUALIS constat multis nuptiis, conjugia pura contrahentibus.

i. e. *ex multis flosculis flaminibus et pistillis instructis.*

Flores ejusmodi maximam partem vulgo Flosculosi dicuntur.

POLYGAMIA SPURIA, ubi thalami vere nuptorum discum occupant et ambitum cingunt thalami concubinarum maritis destitutarum ut a maritis uxoratis fecundentur.

i. e. *ubi flosculi hermaphroditi discum occupant, et marginem cingunt flosculi feminei, flaminibus destituti, idque triplici modo.*

SUPERFLUA, cum feminæ maritalæ fertiles sunt, et familiam propagare queunt: adeo ut concubinarum auxilium videatur superfluum.

i. e. *cum flores disci hermaphroditi stigmatate instruuntur, et semina proferunt: flores quoque feminei radium constituentes similiter semina ferunt.*

FRUSTRANEA, cum feminæ maritalæ fertiles sunt, et speciem propagare queunt: concubinæ autem ob defectum

tum vulvæ, veluti castratæ, impregnari nequeunt.

- i. e. *cum flores disci hermaphroditi stigmatibus instruuntur, et semina proferunt: stigmaticuli vero radium constituentes, quum stigmatibus careant semina proferre nequeunt.*

NECESSARIA, cum feminæ maritatæ, ob genitalium labem et vulvæ defectum steriles, familiam propagare nequeunt; concubinis a maritis feminarum fæcundatis; uxorum locum suppleantibus sobolemque læte propagantibus.

- i. e. *cum flores hermaphroditi ob defectum stigmatibus pistilli, semina perficere nequeunt; flores autem feminei in radio semina perfecta proferunt.*

SEGREGATA, cum thalami plurium, cujuscunque sexus et conjugii, ita uniuntur, ut unicum thalamum communem constituent.

- i. e. *cum calyces floriferi plures comprehenduntur a communi calyce, ut unicum florem conficiant.*

Clas-

CLASSIS I.

M O N A N D R I A.

MONOGYNIA.

2. Hippuris.

1. Salicornia.

DIGYNIA.

3. Callitriche.

M O N A N D R I A.

MONOGYNIA.

1. SALICORNIA. *Cal.* ventriculosus, integer. *Petala* O. *Sem.* 1.

2. HIPPURIS. *Cal.* O. *Petala* O. *Stigma* simplex. *Sem.* 1.

DIGYNIA.

3. CALLITRICHE. *Cal.* O. *Petala* 2. *Cap-
sula* 2-locularis, 4 sperma.

B

CLASSIS

CLASSIS II.

DIANDRIA.

MONOGYNIA.

* *Flores inferi, monopetali, regulares.*

4. Ligustrum.

** *Flores inferi, monopetali, irregulares. Fructus Capsularis.*

6. Veronica.

7. Pinguicula.

8. Utricularia.

*** *Flores inferi, monopetali, irregulares. Fructus gymnospermi.*

9. Lycopus.

10. Salvia.

**** *Flores superi.*

5. Circaea.

DIGYNIA.

11. Anthoxanthum.

DIANDRIA.

D I A N D R I A.

MONOGYNIA.

4. LIGUSTRUM. *Cor.* 4-fida. *Bacca* tetra-
perma.
5. CIRCÆA. *Cor.* dipetala. *Cal.* diphyllus,
superus. *Sem.* 1. biloculare.
6. VERONICA. *Cor.* Limbo 4-partito: laci-
nia infima angustiore. *Capsula*
bilocularis.
7. PINGUICULA. *Cor.* ringens, calcarata.
Cal. bilabiatus, 5-fidus. *Caps.*
unilocularis.
8. UTRICULARIA. *Cor.* ringens, calcarata.
Cal. 2-phyllus, æqualis. *Caps.*
unilocularis.
9. LYCOPUS. *Cor.* 4-fida. lacinia unica emar-
ginata. *Stamina* distantia. *Semina*
4. retusa.

10. SALVIA. *Cor.* inæqualis. *Filamenta* transverse pedicello affixa.

DIGYNIA.

11. ANTHOXANTHUM. *Cal.* Gluma 2-valvis, 1-flora. *Cor.* Gluma 2-valvis, acuminata. *Sem.* 1.



CLASSIS III.

TRIANDRIA.

MONOGYNIA.

* *Flores superi.*

12. Valeriana. 13. Crocus.

14. Iris.

** *Flores Graminei valvulis Glumæ calycinæ.*

15. Schænus. 16. Cyperus.

17. Scirpus. 18. Eriophorum.

19. Nardus.

DIGYNIA.

* *Flores uniflori vagi.*

21. Panicum. 23. Alopecurus.

22. Phleum. 20. Phalaris.

24. Milium. 25. Agrostis.

B 3

30. Dactylis.

30. Dactylis.

34. Stipa.

† *Arundo epigeios, calamagrostis, arenaria.*

** *Flores biflori vagi.*

26. Aira.

27. Melica.

*** *Flores multiflori vagi.*

29. Briza.

28. Poa

32. Festuca.

33. Bromus.

35. Avena.

36. Arundo.

* *Dactylis glomerata.*

**** *Flores multiflori, infidentes Receptaculi
elongati dentibus.*

39. Secale.

41. Triticum.

40. Hordeum.

38. Elymus.

37. Lolium.

31. Cynofurus.

TRIGYNIA.

42. Montia.

TRIANDRIA.

T R I A N D R I A.

M O N O G Y N I A.

12. VALERIANA. *Cal.* O. *Cor.* 1-petala, basi hinc gibba, superā. *Sem.* 1.

13. CROCUS. *Cor.* 6-partita, æqualis. *Stigmata* convoluta.

14. IRIS. *Cor.* 6-partita: *Petalis* alternis reflexis. *Stigmata* petaliformia.

15. SCHOENUS. *Glumæ* paleaceæ, univalves, congestæ. *Cor.* O. *Sem.* 1. subrotundum inter glumas.

16. CYPERUS. *Glumæ* paleaceæ, distiche imbricatæ. *Cor.* O. *Sem.* 1. nudum.

17. SCIRPUS. *Glumæ* paleaceæ, undique imbricatæ. *Cor.* O. *Sem.* 1. imberbe.

18. ERIOPHORUM. *Glumæ* paleaceæ, undique imbricatæ. *Cor.* O. *Sem.* 1. *Lana* longissima cinctum.

19. NARDUS. *Cal.* O. *Cor.* 2-valvis.

DIGYNIA.

DIGYNIA.

20. PHALARIS. *Cal.* 2-valvis, carinatus, longitudine æqualis, corollam includens.
21. PANICUM. *Cal.* 3-valvis. valvula tertia minima.
22. PHLEUM. *Cal.* 2-valvis, sessilis, linearis, truncatus, apice, bicuspidato. *Cor.* inclusa.
23. ALOPECURUS. *Cal.* 2-valvis. *Cor.* 1-valvis.
24. MILIUM. *Cal.* 2-valvis, uniflorus. *Corolla* brevissima. *Stigmata* penicilliformia.
25. AGROSTIS. *Cal.* 2-valvis, uniflorus, corolla paulo minor. *Stigmata* longitudinaliter hispida.
26. AIRA. *Cal.* 2-valvis, 2-florus. *Flosculi* absque interjecto rudimento.
27. MELICA. *Cal.* 2-valvis, 2-florus. *Rudimentum* floris inter flosculos.

DIRECTIONS to the BINDER.

Place the Plates of the First Twelve Numbers in the following Manner.

D I A N D R I A.

MONOGYNIA.

Veronica

1. Serpyllifolia
2. Chamædrys
3. Agrestis
4. Hederifolia

T R I A N D R I A.

MONOGYNIA.

Valeriana

Crocus

T E T R A N D R I A.

MONOGYNIA.

Scabiosa

Asperula

Plantago

1. Media.
2. Lanceolata

D I G Y N I A.

TETRAGYNIA.

Ilex

H E X A N D R I A.

MONOGYNIA.

Myosotis

Pulmonaria

Primula

1. Vulgaris
2. Veris
3. Farinosa

Lyfimachia

Anagallis

Convolvulus

1. Arvensis
2. Sepium

Vinca

- | | |
|-------|----------|
| Vinca | 1. Minor |
| | 2. Major |

Campanula

- | | |
|-------|---------------|
| Ribes | 1. Rubrum |
| | 2. Nigrum |
| | 3. Gossularia |

D I G Y N I A.

Gentiana

- | |
|---------------|
| 1. Centaureum |
| 2. Campestris |
| 3. Amorella |

T R I G Y N I A.

Viburnum

Alfine

P E N T A G Y N I A.

Statice

Linum

H E X A N D R I A.

M O N O G Y N I A.

Galanthus

Convallaria

- | |
|----------------|
| 1. Majalis |
| 2. Multiflora. |

Hyacinthus

Allium

Fritillaria

O C T A N D R I A.

M O N O G Y N I A.

Epilobium

Erica

- | |
|-------------|
| 1. Vulgaris |
| 2. Cinerea |

Daphne

D I G Y N I A.

Chlora

T R I G Y N I A.

Polygonum

- | |
|----------------|
| 1. Persicaria |
| 2. Aviculare |
| 3. Convolvulus |

TETRAGYNIA.

TETRAGYNIA.

Adoxa

E N N E A N D R I A.

HEXAGYNIA.

Butomus

D E C A N D R I A.

MONOGYNIA.

Andromeda

D Y G I N I A.

Chrysofplenium

Saxifraga

1. Granulata

2. Tridactylites

T R I G Y N I A.

Stellaria

P E N T A G Y N I A.

Sedum

Oxalis

Agrostemma

Lichnis

1. Flos. Cuculi

2. Dioica

Red Campion

White Campion

Cerastium

D O D E C A N D R I A.

T R Y G I N I A.

Euphorbia

1. Peplus

2. Helioscopia

3. Caracias

I C O S A N D R I A.

P O L O G Y N I A.

Rosa

1. Canina

2. Alba

3. Suavifolia

Potentilla

1. Fruticosa

2. Reptans

A 2

Tormentilla

Tormentilla
Geum

P O L Y A N D R I A.
M O N O G Y N I A.

Papaver
Cistus

P O L Y G Y N I A.

Anemone
Ranunculus

1. Flammula
2. Ficara
3. Bulbosus
4. Acris
5. Arvensis

Caltha

D Y D Y N A M I A.
G Y M N O S P E R M I A.

Verberna
Glecoma
Lamium

1. Album
2. Purpureum

Galeopsis
Betonica

A N G I O S P E R M I A.

Rhinanthus
Euphrasia

T E T R A D Y N A M I A.
S I L I C U L O S A.

Draba
Thlaspi
Eryfinum
Cheiranthus
Cardamine

M O N A D E L P H I A.
D E C A N D R I A.

Geranium

1. Phœum
2. Robertianum
3. Lucidum
- 4 Sauguineum

4. Sanguineum

Malva

D I A D E L P H I A.
D E C A N D R I A.

Lathyrus

Vicia

Trifolium

Lotus

P O L Y A D E L P H I A.
P O L Y A N D R I A.

Hypericum

S Y N G E N E S I A.
P O L Y G A M I A. ÆQUALIS.

Leontodon

Hieracium

Crepis

Cichorium

P O L Y G A M I A. SUPERFLUA.

Tuffilago

Senecio

1. Vulgaris

2. Erulifolia.

Inula

Bellis

Chrysanthemum

Anthemis

Achillea

P O L Y G A M I A. FRUSTRANEA.

Centaurea

1. Cyanus

2. Jacea

M O N O G A M I A.

Viola

1. Hirta

2. Odorata

3. Canina

G Y N A N D R I A.
D I A N D R I A.

Orchis

Ophrys

1. Apifera
2. Muscifera

M O N O E C I A.
T E T R A N D R I A.

Buxus

P O L Y A N D R I A.

Sagittaria

D I O E C I A.
E N N E A N D R I A.

Mercurialis

C R Y P T O G A M I A.
F I L I C E S.

Asplenium

1. Scolopendrium
2. Ceterach
3. Trichomanes
4. Marium.
5. Ruta Muraria

Polypodium

A L G Æ.

Lichen

1. Ciliaris
2. Calicaris
3. Fraxineus
4. Pyxidatus

F U N G I.

Agaricus

1. Cinnamomeus
2. Equestris
3. Campanulatus

Boletus

1. Suberosus
2. Verficolor

Peziza

Clavaria



L A T I N I N D E X.

A

<i>Achillea</i>	Syngenefia	Polyandria Superflua
<i>Adoxa</i>	Octandria	Tetragynia
<i>Agaricus</i>	Cryptogamia	Fungi
<i>Agrostemma</i>	Decandria	Pentagynia
<i>Allium</i>	Hexandria	Monogynia
<i>Alfina</i>	Pentandria	Trigynia
<i>Anagallis</i>	Pentandria	Monogynia
<i>Andromeda</i>	Decandria	Monogynia
<i>Anemone</i>	Polyandria	Polygynia
<i>Anthemis</i>	Syngenefia	Polygamia Superflua
<i>Asperula</i>	Tetrandria	Monogynia
<i>Asplenium</i>	Cryptogamia	Filices

B

<i>Bellis</i>	Syngenefia	Polygamia Superflua
<i>Betonica</i>	Didynamia	Gymnospermia
<i>Boletus</i>	Cryptogamia	Fungi
<i>Batomus</i>	Enneandria	Hexagynia
<i>Buxus</i>	Monoccia	Tetrandria

C

<i>Caltha</i>	Polyandria	Polygynia
<i>Campanula</i>	Pentandria	Monogynia
<i>Cardamine</i>	Tetradynamia	Siliquosa
<i>Centaurea</i>	Syngenefia	Polygamia Frustr.
<i>Cerastium</i>	Decandria	Pentagynia
<i>Cheiranthus</i>	Tetradynamia	Siliquosa
		<i>Chlora</i>

Chlora
Chrysanthemum
Chrysosplenium
Cichorium
Cistus
Clavaria
Convallaria
Convolvulus
Crepis
Crocus

Octandria
 Syngenesia
 Decandria
 Syngenesia
 Polyandria
 Cryptogamia
 Hexandria
 Pentandria
 Syngenesia
 Triandria

Monogynia
 Polygamia Superflua
 Digynia
 Polyg. Æqual.
 Monogynia
 Fungi
 Monogynia
 Monogynia
 Polyg. Æqual.
 Monogynia

D

Daphne
Draba

Octandria
 Tetradynamia

Monogynia
 Siliquosa

E

Epilobium
Erica
Erysimum
Euphrasia
Euphorbia

Octandria
 Octandria
 Tetradynamia
 Didynamia
 Dodecandria

Monogynia
 Monogynia
 Siliquosafa
 Angiospermia
 Trigynia

F

Fritillaria

Hexandria

Monogynia

G

Galanthus
Galeopsis
Gentiana
Geranium
Geum
Glecoma

Hexandria
 Tetradynamia
 Pentandria
 Monadelphina
 Icosandria
 Didynamia

Monogynia
 Siliquosa
 Digynia
 Decandria
 Polygynia
 Gymnospermia

Hieracium

H

<i>Hieracium</i>	Syngenesia	Polygamia Æqualis
<i>Hyacinthus</i>	Hexandria	Monogynia
<i>Hypericum</i>	Polyadelphia	Polyandria

I

<i>Ilex</i>	Tetrandria	Tetradynamia
<i>Inula</i>	Syngenesia	Polygamia Superflua

L

<i>Lamium</i>	Didynamia	Gymnospermia
<i>Lathyrus</i>	Diadelphia	Decandria
<i>Leontodon</i>	Syngenesia	Polygynia Æqualis
<i>Lichen</i>	Cryptogamia	Algæ
<i>Linum</i>	Pentandria	Pentagynia
<i>Lotus</i>	Diadelphia	Decandria
<i>Lychnis</i>	Decandria	Pentagynia
<i>Lythymachia</i>	Pentandria	Monogynia

M

<i>Malva</i>	Monodelphia	Polyandria
<i>Mercurialis</i>	Dicæia	Enneandria
<i>Myosotis</i>	Pentandria	Monogynia

O

<i>Ophrys</i>	Gynandria	Diandria
<i>Orchis</i>	Gynandria	Diandria
<i>Ornithogalum</i>	Hexandria	Monogynia
<i>Oxalis</i>	Decandria	Pentagynia

P

<i>Papaver</i>	Polyandria	Monogynia
----------------	------------	-----------

Pezaz

Peziza
Plantago
Polypodium
Polygonum
Potentilla
Primula
Pulmonaria

Cryptogamia
 Tetrandria
 Cryptogamia
 Octandria
 Icofandria
 Pentandria
 Pentandria

Fungi
 Monogynia
 Filices
 Trigynia
 Polygynia
 Monogynia
 Monogynia

R

Ranunculus
Rhinanthus
Ribes
Rosa

Polyandria
 Didynamia
 Pentandria
 Icofandria

Polygynia
 Angiospermia
 Monogynia
 Polygynia

S

Sagittaria
Saxifraga
Scabiosa
Sedum
Senecio
Statice
Stellaria

Monoecia
 Decandria
 Tetrandria
 Decandria
 Syngenesia
 Pentandria
 Decandria

Polyandria
 Dyginia
 Monogynia
 Pentagynia
 Polygamia Superflua
 Pentagynia
 Trygynia

T

Thlaspi
Tormentilla
Trifolium
Tussilago

Tetradynamia
 Icofandria
 Diadelphia
 Syngenesia

Siliculosa
 Polygynia
 Decandria
 Polygamia Superflua

V

Valeriana
Verbena
Veronica
Viburnum
Vicia
Vinca
Viola

Triandria
 Didynamia
 Diandria
 Pentandria
 Diadelphia
 Pentandria
 Syngenesia

Monogynia
 Gymnospermia
 Monogynia
 Trigynia
 Decandria
 Monogynia
 Monogamia

ENGLISH INDEX.

A

Agarric Bell, *grey*
 ——— Brown, *brownish-yellow*
 ——— Starry, *yellow disk*
 Anemone-wood, *Fl. white*
 Arrow-head, *Fl. white*
 Avens, *Fl. yellow*

Cryptogamia	Fungi
—————	—————
Polyandria	Polygynia
Monoecia	Polyandria
Icofandria	Polygynia

B

Bee-orchis, *Fl. brown*
 Bell-flower, round leaved, *Fl. blue*
 Betony-wood, *Fl. purple*
 Bind-weed great, *Fl. white*
 ——— small, *Fl. redish white*
 ——— black, *Fl. whitish*
 Birds-eye, *Fl. red*
 ——— foot, Trefoil, *Fl. yellow*
 Blue-bottles, *Fl. blue*
 Boletus, striped
 ———, white-corked
 Box-tree, *Fl. greenish-white*
 Briar sweet, *Fl. pale red*
 Buglofs-cowslip, *Fl. white & purple*

Gynandria	Diandria
Pentandria	Monogynia
Didynamia	Gymnospermia
Pentandria	Monogynia
—————	—————
Ostandria	Trigynia
Pentandria	Monogynia
Diadelphia	Decandria
Syngenesia	Polygamia Frustranea
Cryptogamia	Fungi
—————	—————
Monoecia	Tetrandria
Icofandria	Polygynia
Pentandria	Monogynia

C

Campion red, *Fl. red*
 ——— white, *fl. white*
 Centaury yellow, *fl. yellow*
 Centory lefs, *fl. pale red*

Decandria	Pentagynia
—————	—————
Ostandria	Monogynia
Pentandria	Digynia

Chamomile

Chamomile Corn, <i>fl. white with a yellow Disk</i>	Syngenesia	Polygamia Superflua
Chickweed common, <i>fl. white</i>	Pentandria	Trigynia
----- narrow, leaved Mouse-ear, <i>fl. white</i>	Decandria	Pentagynia
Cinquefoil common, <i>fl. yellow</i>	Icosandria	Polygynia
----- Shrub, <i>fl. yellow</i>	-----	-----
Cistus dwarf, <i>fl. yellow</i>	Polyandria	Monogynia
----- marsh, <i>fl. redish</i>	Decandria	Monogynia
Clavaria flathorned, <i>black</i>	Cryptogamia	Fungi
Cockle, <i>fl. purple</i>	Decandria	Pentagynia
Coltsfoot common, <i>fl. yellow</i>	Syngenesia	Polygamia Superflua
Cowslip, <i>fl. yellow</i>	Pentandria	Monogynia
Cranesbill bloody, <i>fl. purplish red</i>	Monodelphia	Decandria
----- spotted, <i>fl. dark purple</i>	-----	-----
----- shining Dovesfoot, <i>fl. red</i>	-----	-----
Crowfoot Bulbous, <i>fl. yellow</i>	Polyandria	Polygynia
----- Corn, <i>fl. pale-yellow</i>	-----	-----
----- Upright Meadow, <i>fl. yellow</i>	-----	-----
Cuckow-flower, <i>fl. white</i>	Tetradynamia	Siliquosa
Currants, <i>fl. greenish white</i>	Pentandria	Monogynia
----- black, <i>fl. greenish white</i>	-----	-----

D

Daffodil chequered, <i>fl. chequered with purple</i>	Hexandria	Monogynia
Daisy common, <i>fl. yellow and white</i>	Syngenesia	Polygamia superflua
----- great, <i>fl. white and yellow</i>	-----	-----
Dandelion, <i>fl. yellow</i>	Syngenesia	Polygamia Æqualis
Dog-rose, <i>fl. pale red.</i>	Icosandria	Polygynia
----- white, <i>fl. white</i>	-----	-----

E

Eyebright, <i>fl. white.</i>	Didynamia	Angiospermia
------------------------------	-----------	--------------

F

Flax purging, <i>fl. white</i>	Pentandria	Pentagynia
Flea-bane middle, <i>fl. yellow</i>	Syngenesia	Polygamia Superflua
Flowering-rush, <i>fl. redish white</i>	Enneandria	Hexagynia
Fly-orchis, <i>fl. brown</i>	Gynandria	Triandria

G

Gentian vernal dwarf, <i>fl. blue</i>	Pentandria	Digynia
——— Autumnal <i>fl. blue</i>	———	———
Germander wild, <i>fl. blue</i>	Diandria	Monogynia
Gooseberry tree, <i>fl. greenish-white</i>	Pentandria	Monogynia
Ground-ivy, <i>fl. blue</i>	Didynamia	Gymnospermia
Groundsel, <i>fl. yellow</i>	Syngenesia	Polygamia superflua

H

Harts-tongue	Cryptogamia	Filices
Hawkweed smooth succory, <i>fl. yell.</i>	Syngenesia	Polygamia Æqualis
Heath common, <i>fl. purplish</i>	Ociandria	Monogynia
——— fine leaved, <i>fl. crimson</i>	———	———
Herb Robert, <i>fl. red.</i>	Monadelphia	Decandria
Holly-tree, <i>fl. whitish</i>	Tetrandria	Tetragynia
Hyacinth English, <i>fl. blue.</i>	Hexandria	Monogynia

K

Knapweed common, <i>fl. purple</i>	Syngenesia	Polygamia frustranea
Knot grass, <i>fl. redish-white</i>	Ociandria	Trigynia

L

Laurel-spurge, <i>fl. yellowish-green,</i>	Ociandria	Monogynia
Lichen beaked	Cryptogamia	Algæ
——— ciliated	———	———
——— common Cup	———	———

Lichen great long-leaved, wrinkled	_____	_____
Lilly of the Vally, <i>fl. white</i>	Hexandria	Monogynia

M

Maiden-hair white	Cryptogamia	Filices
_____ common	_____	_____
_____ sea	_____	_____
Mallow jagged-leaved Vervain <i>fl. purple</i>	Monodelphia	Polyandria
Marigold marsh, <i>fl. yellow</i>	Polyandria	Polygynia
Meadow-pink, <i>fl. red.</i>	Decandria	Pentagynia
Mealy-tree pliant, <i>fl. white</i>	Pentandria	Trigynia
Mercury Dogs, <i>fl. green,</i>	Dioecia	Enneandria
Moneywort, <i>fl. yellow</i>	Pentandria	Monogynia
Mofchatel tuberous, <i>fl. yellowish-green</i>	Octandria	Tetragynia
Moufe-car common creeping, <i>fl. pale yellow</i>	Syngenesia	Polygamia Æqualis

N

Nettle red, dead, <i>fl. red.</i>	Didynamia	Gymnospermia
_____ white, dead, <i>fl. white</i>	_____	_____
_____ hemp, yellow, <i>fl. yellow</i>	_____	_____

O

Orchis bee, <i>fl. brown</i>	Gynandria	Diandria
_____ fly, <i>fl. brown</i>	_____	_____
_____ Male-fools, <i>fl. purple</i>	_____	_____

P

Periwinkle great, <i>fl. blue</i>	Pentandria	Monogynia
_____ lesser, <i>fl. blue</i>	_____	_____
Perficaria common spotted, <i>fl. rose-colour</i>	Octandria	Trigynia

Peziza

Peziza, smooth, scarlet	Cryptogamia	Fungi
Pilewort, <i>fl. yellow</i>	Polyandria	Polygynia
Pimpernel, <i>fl. red</i>	Pentandria	Monogynia
Pink-meadow, <i>fl. red</i>	Decandria	Pentagynia
Plantain hoary, <i>fl. whitish</i>	Tetrandria	Monogynia
———— Ribwort, <i>fl. whitish</i>	————	————
Polipody common	Cryptogamia	Filices
Poppy long, smooth-headed, <i>fl. red</i>	Polyandria	Monogynia
Primrose, <i>fl. pale yellow</i>	Pentandria	Monogynia

R

Ragwort hoary Perennial, <i>fl. yellow</i>	Syngenesia	Polygamia superflua
Ramson, <i>fl. white</i>	Hexandria	Monogynia
Rattle yellow, <i>fl. yellow</i>	Didynamia	Angiospermia
Rose dog, <i>fl. pale red.</i>	Icofandria	Polygynia
———— white, <i>fl. white</i>	————	————
Rush flowering, <i>fl. reddish-white</i>	Enneandria	Hexagynia

S

Saffron, <i>fl. purple</i>	Triandria	Monogynia
St. John's wort, upright, <i>fl. yellow</i>	Polyadelphia	Polyandria
Sauce alone, <i>fl. white</i>	Tetradynamia	Siliculosa
Saxifrage alternate leaved, Golden, <i>fl. bright Gold colour</i>	Decandria	Digynia
Scabious Lefs-field, <i>fl. blue</i>	Tetrandria	Monogynia
Scorpion Grass, Mouse-eared, <i>fl. blue</i>	Pentandria	Monogynia
Sengreen, Rue-leaved, <i>fl. white</i>	Decandria	Digynia
———— white, <i>fl. white</i>	————	————
Sheperd's purse, <i>fl. white</i>	Tetradynamia	Siliculosa
Sneezewort, <i>fl. white</i>	Syngenesia	Polygamia Superflua
Snow-drop, <i>fl. white</i>	Hexandria	Monogynia
Solomon's-leal, <i>fl. greenish-white</i>	Hexandria	Monogynia
Sorrel wood, <i>fl. redish-white</i>	Decandria	Pentagynia
Speedwell Germander-leaved, <i>fl. blue</i>	Diandria	Monogynia
———— Ivy-leaved, <i>fl. blue</i>	————	————
———— little smooth, <i>fl. pale blue</i>	————	————
Spearwort Lefs, <i>fl. deep yellow</i>	Polyandria	Polygynia
Spleenwort, <i>pale green, rusty on the back</i>	Cryptogamia	Filices

Spurge

Spurge laurel, <i>fl. yellowish-green</i>	Octandria	Monogynia
— petty, <i>fl. yellowish-green</i>	Dodecandria	Trigynia
— red <i>fl. yellowish-green</i>	—	—
— Sun, <i>fl. greenish-yellow</i>	—	—
Star of Bethelam, yellow, <i>fl. yellow</i>	Hexandria	Monogynia
Stichwort greater, <i>fl. white</i>	Decandria	Trigynia
Stonecrop white flowered, <i>fl. white</i>	Decandria	Pentagynia
Succory wild, <i>fl. blue</i>	Syngenesia	Polygamia <i>Æqualis</i>
Sweet-briar, <i>fl. reddish-white,</i>	Icolandria	Polygynia

T

Tare everlasting, <i>fl. yellow</i>	Diadelphia	Decandria
Thrift, <i>fl. pale red</i>	Pentandria	Pentagynia
Tormentil creeping, <i>fl. yellow</i>	Icolandria	Polygynia
Trefoil Birdsfoot, <i>fl. pale purple</i>	Diadelphia	Decandria
— Hop, <i>fl. yellow</i>	—	—
Tuberous Moschatel, <i>fl. yellowish-green</i>	Octandria	Tetragynia

V

Valerian small, Marsh, <i>fl. reddish-white</i>	Triandria	Monogynia
Vervain, <i>fl. blue</i>	Didynamia	Gymnospermia
Vetch common, <i>fl. light and dark purple</i>	Diadelphia	Decandria
Violet Dogs, <i>fl. pale blue</i>	Syngenesia	Monogamia
— hairy, <i>fl. purple</i>	—	—
— sweet, <i>fl. blue or white</i>	—	—

W

Wall-flower, <i>fl. Yellow.</i>	Tetradynamia	Siliquosa
Whitlow Grass Common, <i>fl. White</i>	Tetradynamia	Siliquosa
Willowherb smooth leaved, <i>fl. Red</i>	Octandria	Monogynia
Woodroof, <i>fl. White.</i>	Tetrandria	Monogynia

These Indexes are given for the Accommodation of such Purchasers of this Work as wish to sew up, in Boards, a Year's Numbers,—for the same purpose Indexes will be given to every Twelve Numbers.

✚ *When the Work is compleat, a general Index will be added.*



Veronica serpyllifolia Little smooth Speedwell.
 racemo terminali subspicato, fol. ovatis glabris crenatis
 In Meadows. April Perennial.


112750/24/11 112750/24/11



112750/24/11 112750/24/11



Veronica chamaedrys Wild Germander.
racemis lateralibus; fol. ovatis, rugosis, dentatis, sessilibus;
caule bifariam piloso.
March. In pastures. Perennial.



DIANDRIA.

MONOGYNIA.



Veronica agrestis. Germaner-leaved Speedwell.
fol. solitariis, fol. cordatis incisis pedunculo brevioribus.
In Pastures. May. Annual.

J. Collier sc.

DIANDRIA.

MONOGYNIA.



Veronica hederifolia. Ivy-leaved Speedwell.
flor. solitarius, fol. cordatis, planis, quinquelobis.
In Corn-fields. March. Annual.

J. Cels. sc.



THE JOURNAL OF THE
PROCEEDINGS OF THE
SOCIETY OF THE
FRIENDS OF THE
ARTS AND
MANUFACTURES
IN THE
CITY OF LONDON
FOR THE YEAR
1851

TRIANDRIA. MONOGYNIA.



Valeriana.....*Small marsh Valerian.*

*ex apice radices prodeunt stolones foliosi: foliis ovatis
et allipticis: petiolis triquetris longis. Caulina folia
pinnata aut pinnatifida. April Perennial*

J. Collyer sc.

1. The first of these is the fact that the
 2. second of these is the fact that the
 3. third of these is the fact that the
 4. fourth of these is the fact that the
 5. fifth of these is the fact that the

TRIANDRIA.

MONOGYNIA.



Crocus sativus. Saffron. *spatha univalvi*,
radicali; *corollæ tubo longissimo*.
Annual. August. About Cambridge.



TETRANDRIA. MONOGYNIA.



Scabiosa columbaria. **Less Field Scabious.**
corollulis quinquefidis, radiantibus; fol. radicalibus ovatis, crenatis;
caulinis pinnatis, setaceis. June. Perennial. High pastures.

1876-1877

1876-1877



1876-1877

1876-1877

TETRANDRIA.

MONOGYNIA.



Asperula Odorata. Woodroof.
fol. octonis, lanceolatis, florum fasciculis pedunculatis.
• May. Perennial. In woods &c.



Handwritten text, likely a title or description, is visible at the bottom of the page, but it is extremely faint and illegible.

TETRANDRIA.

MONOGYNIA.




Plantago Media. Hoary Plantain.
fol. ovato-lanceolatis, pubescentibus; spica cylindrica;
Scapo tereti. July. August. Perennial.

TETRANDRIA. MONOGYNIA.




Plantago lanceolata. Ribwort-plantain.
fol. lanceolatis, spica subovata nuda, scapo angulato.
April Perennial. In Meadows, &c. frequent.

TETRANDRIA. TETRAGYNIA.



Ilex, *Aquifolium*. *Holly-tree*.
fol. ovatis, acutis, spinosis.
In Hedges. A. Shrub. April.

TETRAPIA TETRAPIA



121

The
of
the
the
the

HEXANDRIA. MONOGYNIA.



Nivalis.
Galanthus. Snowdrop. At the foot of Malvern Hills, Worcestershire.
Perennial. February, April.

HEXANDRIA.

MONOGYNIA.



Convallaria. . Majalis. Lilly of the Valley.
scapo nudo. May. In woods. Perennial.



Plant. Indica
Indica

Indica



Convallaria multiflora. Solomon's Seal.
fol. alternis amplexicaulibus, caule tereti, pedunc.
axillaribus multifloris.
May. Perennial. In Woods.

HEXANDRIA.

MONOGYNIA.



Hyacinthus Non scriptus. English Hyacinth.
coroll. campanulatis, sexpartitis, apice revolutis.
In Woods &c. May, Per.



Alphabetic Plantae
 ...
 ...

HEXANDRIA.

MONOGYNIA.



Allium Ursinum. Ramon.

scapo nudo semicylindrico; fol. lanceolatis, petiolatis;
umbella fastigiata. May. In woods. Perennial.

THE GARDEN OF THE
SACRED MOUNTAIN




THE GARDEN OF THE
SACRED MOUNTAIN

HEXANDRIA. MONOGYNIA.



Fritillaria . Meleagris . Chequered Daffodil .
fol. omnibus alternis; caule unifloro.
May. Perennial. • In meadows, &c.

PLANTAE INDICAE



WATERBURY


OCTANDRIA.

MONOGYNIA.



Epilobium montanum. Smooth-leaved Willow-herb.
fol. oppositis ovatis dentatis.
June. Biennial. In moist Meadows.

OCTANDRIA. MONOGYNIA.



Erica vulgaris. Common Heath.

antheris bicornibus, inclusis; coroll. inaequalibus, campanulatis, mediocribus; fol. oppositis, sagittatis.

June. On Heaths. Shrub.

J. Collie



THE
LIBRARY OF THE
MUSEUM OF COMPARATIVE ZOOLOGY
AT HARVARD UNIVERSITY
CAMBRIDGE, MASS.

OCTANDRIA.

MONOGYNIA.



Erica cinerea. Fine leaved Heath.

anth. bicornibus, inclusis; coroll. ovatis racemosis,
fol. ternis, glabris, linearibus.

On Heaths. June. Shrub.

OCTANDRIA.

MONOGYNIA.



Daphne Laureola. Spurge Laurel.
racem. axillaribus quinquifloris, fol. lanceolatis glabris.
February. In Woods. Shrub.

J. Collyer sc.

OCTANDRIA MONOGYNIA.



Chlora perfoliata. Yellow Centaury. *sol. perfoliatis*. July. Annual. In high pastures.



My name is John - I am 10 years old
I live in the town of New York

OCTANDRIA

TRIGYNIA.



γ

Polygonum Persicaria. Common Spotted Persicaria.
floribus hexandris, semidigynis; pedunculis terribus;
stipulis ciliatis; spicis ovato-oblongis, erectis.
Common. August. A.



1840
 1841
 1842
 1843
 1844
 1845
 1846
 1847
 1848
 1849
 1850
 1851
 1852
 1853
 1854
 1855
 1856
 1857
 1858
 1859
 1860
 1861
 1862
 1863
 1864
 1865
 1866
 1867
 1868
 1869
 1870
 1871
 1872
 1873
 1874
 1875
 1876
 1877
 1878
 1879
 1880
 1881
 1882
 1883
 1884
 1885
 1886
 1887
 1888
 1889
 1890
 1891
 1892
 1893
 1894
 1895
 1896
 1897
 1898
 1899
 1900

OCTANDRIA.

TRIGYNIA.



Polygonum aviculare. Knot-Grass.
flor. octandris, trigynis, axillaribus; fol. lanceolatis;
caule procumbente herbaceo.
June. Annual. In fields, &c.

1870

1870

[Faint, illegible handwriting, possibly a list or ledger entries]

[Faint, illegible text at the bottom of the page, possibly a signature or footer]

OCTANDRIA.

TRIGYNIA.



Polygonium. Convolvulus. Black Bind-weed.
fol. cordatis; caule volubili angulato; flor. obtusatis.
June. Annual. In Corn-fields, &c.

THE JOURNAL OF THE
SOCIETY OF THE FRIENDS OF THE AFRICAN



OF THE AFRICAN
AND THE
SOCIETY OF THE FRIENDS OF THE AFRICAN

OCTANDRIA. TETRAGYNIA.



Adoxa Moschatellina. Tuberous Moschatel.
April. In woods. Perennial.

ENNEANDRIA HEXAGYNIA.




Butomus *umbellatus*. Flowering Rush.
Rivers, ditches, &c. Perennial. June?



DECANDRIA. MONOGYNIA.



Andromeda Polifolia. Marsh Cistus.
 pedunc. aggregatis; coroll. ovatis; fol. alternis,
 lanceolatis, revolutis.



DECANDRIA

DIGYNIA



Chrysothamnium alternifolium. Alternate-leaved
Golden Saxifrage. foliis alternis. April. Woods &c

DE CANDRIA.

DIGYNIA.



Saxifraga granulata. White. Sengreen.
fol. caulinis, reniformibus, lobatis; caul. ramoso; radice
granulata. Dry ground. May. Per.

1840

1840



1840

DECANDRIA.

DIGYNIA.



Saxifraga Tridactylites. Rue-leaved Sengreen.
fol. caulinis, cuneiformibus, trifidis,
alternis; caule erecto, ramoso.
April. Annual. On walls &c.

1871


1871



THE UNIVERSITY OF CHICAGO
LIBRARY
CHICAGO, ILL.
1871

DECANDRIA.

TRIGYNIA.



Stellaria Holostea. Greater Stitchwort.
fol. lanceolatis, serrulatis; petal. bifidis.
April. In Woods and Hedges. Perennial.



18

Stellaria media (L.) Link.
 var. media (L.) Link.
 var. media (L.) Link.

DECANDRIA. PENTAGYNIA.



Sedum album. White flowered Stone-crop.
fol. oblongis, obtusis teretiusculis, sessilibus,
patentibus; cyma ramosa.
June. On Walls, &c.



Published by the American Medical Association, 535 North Dearborn Street, Chicago, Ill.
Subscription price, \$5.00 per annum in advance.
Single copies, 15 cents.
Entered as Second-Class Matter, May 26, 1904.
Acceptance for mailing at special rate of postage provided for in Act of October 3, 1917.
Postage paid at Chicago, Ill.
Copyright, 1911, by American Medical Association



Oxalis Acetosella. Wood Sorrel. scapo unifloro; fol.
ternatis; radice squamosa, articulata.
April. In woods, &c. Perennial.



1840. The British Museum, London.
A. J. C. Smith, Esq., F.R.S.
The British Museum, London.

DECANDRIA PENTAGYNIA.




*Agrostemma Githago. Cockle. hirsuta, calyc.
corollam aequantibus; petal. integris,
nudis. Corn fields. Annual. June?*

DE CANDRIA. PENTAGYNIA.



Lychnis Flos Cuculi. Meadow Pink.
petal. quadrifidis, fructu subrotundo.
June. In moist. Meadows, &c

PLANT OF THE YEAR 1891



PLANT OF THE YEAR 1891

DECANDRIA. PENTAGYNIA.



Lychnis dioica. Red Campion.
floribus dioicis. April. In Hedges. Perennial.
This is considered by some Authors as a
variety of the White Campion.

PLANTAE INDICAE



PLANTAE INDICAE
 PLANTAE INDICAE
 PLANTAE INDICAE

DECANDRIA.

PENTAGYNIA.



Lychnis Dioica. White Campion.

Floribus dioicis.

May. In woods & hedges. Perennial.



1. *Chrysomela* *Chrysomela* *Chrysomela*
 2. *Chrysomela* *Chrysomela* *Chrysomela*
 3. *Chrysomela* *Chrysomela* *Chrysomela*

DECANDRIA.

PENTAGYNIA.



Cerastium vulgatum. Narrow-leaved Mouse-ear Chickweed.
fol. ovatis; petal. calyci aequalibus; caul. diffusis.
June. Annual. In. Meadows.

187-48-58

187-48-58



187-48-58
187-48-58
187-48-58

DODECANDRIA. TRIGYNIA.



Euphorbia Peplus. Petty Spurge.
umbella trifida: dichotoma; involucellis ovatis; fol.
integerrimis, obovatis, petiolatis.
February. Annual. A Weed in Gardens.

1890




Handwritten text, likely a description or label, located at the bottom of the page. The text is written in a cursive script and is mostly illegible due to fading. It appears to be a single paragraph of text.

DODECANDRIA. TRIGYNIA.



Euphorbia helioscopia. Sun Spurge.
umbella quinquesida: trifida: dichotoma, involucrell.
obovatis, fol. cuneiformibus serratis.
April. Annual. Cultivated places.



By J. H. P. ...
...
...

DODECANDRIA. TRIGYNIA.



Euphorbia coracias. Red Spurge.
umbella multifida: bifida, involucell. perfoliatis
emarginatis, fol. integerrimis, caule frutescente.
In Woods. March. Shrub.



Tocotrium album (Roxb.) Spreng.
Tripterygium (Roxb.) Spreng.
Tripterygium (Roxb.) Spreng.


ICOSANDRIA. POLYGYNIA.



Rosa Canina. Dog-Rose.

germin. ovatis, pedunculisque glabris, caule petiolisque aculeatis.
May. In hedges, a Shrub.

1870-1871



at the University of Cambridge

ICOSANDRIA.

POLYGYNIA.



Rosa alba. *White Dog-Rose*.
germin. ovalis, glabris; pedunc. hispidis; caule
pétiolisque aculeatis.
June. • In hedges &c. • 1. Shrub.

THE



THE

ICOSANDRIA. POLYGYNIA.




Rosa suaviifolia. Sweet-briar:
germinibus ovalis; caule pedunculisq. aculeatis; foliis
subtus glanduloso-pilosis. . May. In hedges.
a Shrub.

ICOSANDRIA.

POLYGYNIA.



Potentilla Fruticosa. Shrub Cinquefoil.
Fol. pinnatis; caule fruticoso. A. Shrub.
June. in Yorkshire.




Copyright by the Author. All rights reserved.
Printed by the Author.

ICOSANDRIA. POLYGYNIA.




Potentilla reptans. Common Cinquefoil.
fol. quinatis, caule repente, pedunc. unifloris.
June. Roadsides, &c. Perennial.



THE GAZETTEER OF THE DISTRICT OF
THE GAZETTEER OF THE DISTRICT OF
THE GAZETTEER OF THE DISTRICT OF

ICOSANDRIA. POLYGYNIA.



Tormentilla reptans. Creeping Tormental.
caule repente, fol. petiolatis.
Woods, &c. July. Perennial.

ICOSANDRIA.

POLYGYNIA.



Geum. urbanum. Avens.

*flor. erectis; fruct. globosis, villosis; aristis uncinatis,
nudis, foliis lyratis. May. In hedges. Perennial.*



POLYANDRIA.

MONOGYNIA.



Papaver dubium. Long smooth-headed Poppy .
caps. oblongis glabris; caule multifloro setis adpressis; fol.
pinnatifidis incis. June. Among Corn &c.


POLYANDRIA. MONOGYNIA.



Cistus Helianthemum. Dwarf Cistus.

*suffruticosus, procumbens; stipul. lanceolatis; foliis oblongis,
revolutis, subpilis.*

July. Perennial. Dry hills.



POLYANDRIA POLYGYNIA



Anemone nemorosa. Wood Anemone. sem acutis,
foliol. incis. caule unifloro. In woods
&c. April. Perennial.




1847 1848 1849 1850 1851 1852 1853 1854 1855 1856 1857 1858 1859 1860 1861 1862 1863 1864 1865 1866 1867 1868 1869 1870 1871 1872 1873 1874 1875 1876 1877 1878 1879 1880 1881 1882 1883 1884 1885 1886 1887 1888 1889 1890 1891 1892 1893 1894 1895 1896 1897 1898 1899 1900

POLYANDRIA.

POLYGYNIA.



Ranunculus flammula. *Less. Spearwort.*
fol. ovato-lanceolatis, petiolatis caule declinato. June.
Fens, &c. frequent. Perennial.



THE FLOWERS OF THE PLANT

ARE SHOWN IN THE FOLLOWING

POLYANDRIA.

POLYGYNIA.



Ranunculus. *Ficaria*. Pilewort. fol. cordatis
angulatis petiolatis, caul. unifloro. April.
In meadows, &c. Perennial.



Handwritten text, likely a signature or title, located at the bottom of the page. The text is written in a cursive script and is partially obscured by the faint illustration above it.

POLYANDRIA.

POLYGYNIA.



Ranunculus (Bulbosus). Bulbous Crowfoot.
calyc. retroflexis; pedunc. sulcatis; caule erecto, multifloro;
fol. compositis. • April. • In meadows.


1840
 1841
 1842
 1843
 1844
 1845
 1846
 1847
 1848
 1849
 1850
 1851
 1852
 1853
 1854
 1855
 1856
 1857
 1858
 1859
 1860
 1861
 1862
 1863
 1864
 1865
 1866
 1867
 1868
 1869
 1870
 1871
 1872
 1873
 1874
 1875
 1876
 1877
 1878
 1879
 1880
 1881
 1882
 1883
 1884
 1885
 1886
 1887
 1888
 1889
 1890
 1891
 1892
 1893
 1894
 1895
 1896
 1897
 1898
 1899
 1900



1901
 1902
 1903
 1904
 1905
 1906
 1907
 1908
 1909
 1910
 1911
 1912
 1913
 1914
 1915
 1916
 1917
 1918
 1919
 1920
 1921
 1922
 1923
 1924
 1925
 1926
 1927
 1928
 1929
 1930
 1931
 1932
 1933
 1934
 1935
 1936
 1937
 1938
 1939
 1940
 1941
 1942
 1943
 1944
 1945
 1946
 1947
 1948
 1949
 1950
 1951
 1952
 1953
 1954
 1955
 1956
 1957
 1958
 1959
 1960
 1961
 1962
 1963
 1964
 1965
 1966
 1967
 1968
 1969
 1970
 1971
 1972
 1973
 1974
 1975
 1976
 1977
 1978
 1979
 1980
 1981
 1982
 1983
 1984
 1985
 1986
 1987
 1988
 1989
 1990
 1991
 1992
 1993
 1994
 1995
 1996
 1997
 1998
 1999
 2000

POLYANDRIA.

POLYGYNIA.



Ranunculus, *Acris*. *Upright Meadow Crowfoot*.
calyc. patulis; pedunc. teretibus; fol. tripartito-multifidis;
summis linearibus. May. *In Meadows.*



1844
 1844
 1844

POLYANDRIA.

POLYGYNIA.



Ranunculus arvensis. Corn Crowfoot.
sem. aculeatis; fol. superioribus decompositis,
linearibus. Corn-fields. May. Annual.



1874 1875

1874 1875

1874 1875

POLYANDRIA.

POLYGYNIA.



Caltha palustris. Marsh Marigold.
March. Banks of Rivers, &c. Perennial.

ALFALFA

WINTER



ALFALFA WINTER


DIDYNAMIA.

GYMNOSPERMIA.



Verbena officinalis. Vervain.

*Spicis filiformibus, paniculatis; fol. multifido-lacinialis,
caule solitario. July. Annual. Road-side &c.*



Indica officinalis. Ternstroemia indica.
Indica officinalis. Ternstroemia indica.
Indica officinalis. Ternstroemia indica.

DIDYNAMIA.

GYMNOSPERMIA.



Glecoma hederacea. Ground Ivy.
fol. reniformibus, crenatis.
February. In Hedges, &c. Perennial.



Printed by J. G. & J. S. B. at the
Printers, No. 1, St. Martin's Lane,
London, W.C. 2.

DIDYNAMIA. GYMNOSPERMIA.



Lamium album. *White dead Nettle.*
fol. cordatis, acuminatis, serratis, petiolatis;
verticillis vigintifloris.
February. Hedges. Perennial.

THE HISTORY OF THE



OF THE


OF THE

DIDYNAMIA. GYMNOSPERMIA.



Lamium purpureum. Red dead Nettle.
fol. cordatis, obtusis, petiolatis.
February. Annual. Corn-fields, &c.

1858. 1000000. 1000000.




1858. 1000000. 1000000.
1858. 1000000. 1000000.
1858. 1000000. 1000000.

DIDYNAMIA. GYMNOSPERMIA.



Galeopsis. Galeobdolon. Yellow Nettle-hemp.
verticillis sexfloris: involucro tetraphyllo.
Sometimes has ten flowers in a whorl.
April. Perennial. In Woods, &c.



DIDYNAMIA. GYMNOSPERMIA.



Betonica officinalis. Wood Betony.

spic. interrupta; coroll. labii lacinia intermedia emarginata.
July. Woods &c. Perennial.

1000-1000 (1000) 1000-1000 (1000)



1000-1000 (1000) 1000-1000 (1000)

1000-1000 (1000) 1000-1000 (1000)


DIDYNAMIA. ANGIOSPERMIA.



Rhinanthus Crista Galli. Yellow Rattle.
Corollis labio superiore compresso
breviore. June. Meadows, &c.

DIDYNAMIA.

ANGIOSPERMIA.



Euphrasia officinalis Eyebright.
fol. ovatis, lineatis, argute dentatis
August. Meadows &c. Annual.



22

TETRADYNAMIA. SILICULOSA.



Draba verna. Common Whitlow Grass.
scapis nudis; foliis subserratis.
March. On Walls, &c. Annual.

TETRADYNAMIA. SILICULOSA.



Thlaspi Bursa-Pastoris. Shepherd's Purse.
Siliculis obcordatis; fol. radicalibus pinnatifidis.
March. Very common. Annual.


J. Coll.

THE NEW YORK BOTANICAL GARDEN




THE NEW YORK BOTANICAL GARDEN
HERBARIUM
GEORGE ENGELMANN PAPERS
1850-1851

TETRADYNAMIA. SILIQUOSA.



Erysimum Alliaria. Sauce alone.
fol. cordatis. Smells like Garlic.
April. Under Hedges. Perennial.

HERBARIUM OF THE UNIVERSITY OF CHICAGO



Prunella, Myrica, Juniper


Prunella, Myrica, Juniper

TETRADYNAMIA. SILIQUOSA.



Cheiranthus Cheiri. Wall-flower:

fol. lanceolatis, acutis, glabris; ramis angulatis: caule fruticoso.
April. On Walls, &c.



TETRADYNAMIA. SILIQUOSA.



Cardamine pratensis. Cuckow-flower. *Fol.*
pinnatis; foliolis radicalibus subrotun-
-dis; caulinis lanceolatis. Wet meadows.
April. Perennial.

MONADELPHIA. DE CANDRIA.



Geranium (*Phacum*). *Spotted Cranesbill*.
pedunc: solitariis, oppositifoliis; calycibus subaristatis;
caule erecto; petalis undulatis. Hilly places.
Perennial. May.




...
...
...
...

MONADELPHIA.

DECANDRIA.



Geranium (*Robertianū*. *Herb Robert*.
Pedunc. bifloris; calycibus pilosis, decemangulatis.
In hedges, &c. April.



187-188-189
 187-188-189
 187-188-189

MONADELPHIA. DECANDRIA.



Geranium lucidum. Shining Dovesfoot-Cranesbill.
 pedunc. bifloris; calycibus pyramidalis, angulatis, elevato-
 rugosis; fol. quinquelobis, rotundatis. On walls &c. May.

1811
 1812
 1813
 1814
 1815
 1816
 1817
 1818
 1819
 1820
 1821
 1822
 1823
 1824
 1825
 1826
 1827
 1828
 1829
 1830
 1831
 1832
 1833
 1834
 1835
 1836
 1837
 1838
 1839
 1840
 1841
 1842
 1843
 1844
 1845
 1846
 1847
 1848
 1849
 1850
 1851
 1852
 1853
 1854
 1855
 1856
 1857
 1858
 1859
 1860
 1861
 1862
 1863
 1864
 1865
 1866
 1867
 1868
 1869
 1870
 1871
 1872
 1873
 1874
 1875
 1876
 1877
 1878
 1879
 1880
 1881
 1882
 1883
 1884
 1885
 1886
 1887
 1888
 1889
 1890
 1891
 1892
 1893
 1894
 1895
 1896
 1897
 1898
 1899
 1900



The plant is a small, annual herb, growing from a single root. It has several stems, each bearing a cluster of small, white flowers. The leaves are small, rounded, and have a slightly serrated edge. The plant is shown in a natural, growing position.

MONADELPHIA. DECANDRIA.



Geranium sanguineum. Bloody Cranesbill.

pedunc. unifloris; fol. quinquepartitis, trifidis, orbiculatis.
Among rocks &c. June. Perennial.

THE JOURNAL OF THE



OF THE
SOCIETY OF THE
SACRAMENT

MONODELPHIA. POLYANDRIA.



Malva. . *Moschata*. *Fragged-leaved Vervain Mallow*.
caule erecto; fol. radicalibus, reniformibus, incis;
caulinis quinquepartitis, pinnato-multifidis.
August. Meadows &c. Biennial.



THE ADVENTURE

THE ADVENTURE

DIADELPHIA.

DECANDRIA.



Lathyrus pratensis. Tare-cverlasting.

pedunc. multifloris, cirrhis diphyllis, simplicissimis:
foliol. lanceolatis.

Junc. In Woods &c. Perennial.

DIADELPHIA. DE CANDRIA.



Vicia sepium. Bush Vetch.

*Legum pedicellatis subquaternis erectis, foliol. ovatis
integerrimis; exterioribus decrescentibus.*

May. Among Bushes. Perennial.




THE UNIVERSITY OF CHICAGO PRESS
PUBLISHED BY THE UNIVERSITY OF CHICAGO PRESS
CHICAGO, ILL. U.S.A.

DIADELPHIA.

DE CANDRIA.



Trifolium agrarium. Hop Trefoil.
Spic. ovalibus, imbricatis; vexillis deflexis persistentibus;
calyc. nudis; caule erecto.
June. In meadows &c. Annual.



From the collection of the

British Museum, London

Printed by the British Museum Press

DIADELPHIA. DECANDRIA.



Lotus corniculatus. Bird's-foot Trefoil.

capit. depresso; caul. decumbentibus; legum. cylindricis
patentibus. June. In meadows, &c.



POLYADELPHIA POLYANDRIA.



Hypericum pulchrum. Upright St. John's Wort.
 flor. trigynis; calyc. serrato-glandulosus,
 fol. cordatis, glabris; caule tereti. July.
 In woods, hedges, &c.

SYNGENESIA. POLYGAMIA. ÆQUALIS.



Leontodon Taraxacum. Dandelion.

calyce squamis inferne reflexis; fol. runcinatis, denticulatis, levibus.
Pastures. Perennial. March. September.


ALTO L'ALBAZIO 1734-1737

SYNGENESIA. POLYGAMIA. ÆQUALIS.



Hieracium pilosella. Common creeping Mouse-ear.
fol. integerrimis, ovatis, subtus tomentosis; stolonibus repentibus;
scapo unifloro. Dry pastures. Annual. May.

THE HISTORY OF THE



THE HISTORY OF THE
PLANT
AND THE
Fruit of the

SYNGENESIA. POLYG. ÆQUAL.



Crepis tectorum. Smooth Succory Hawkweed.
 fol. lanceolato-runcinatis, sessilibus, lœvibus;
 inferioribus dentatis.
 June. Annual. In pastures, on Walls, &c.



THE NEW YORK PUBLIC LIBRARY
ASTOR LENOX TILDEN FOUNDATION
1215 BROADWAY
NEW YORK, N. Y.

SYNGENE SIA. POLYG. ÆQUAL.



Cichorium. Intybus. Wild Succory.
flor. geminis sessilibus, fol. runcinatis.
July. On waste Ground. Biennial.



Elaborado por el Dr. J. J. ...
...
...

SYNGENESIA. POLYGAMIA. SUPERFLUA.



Tussilago Farfara. Common Coltsfoot.
scapo unifloro, imbricato; fol. subcordatis, angulatis,
denticulatis. Moist Ground. March. Perennial.



Illustration of a plant, possibly a seed pod or a cluster of leaves, with two long, slender, upright stems. The drawing is very light and appears to be a preliminary sketch or a very faded print.

SYNGENESIA. POLYGAMIA. SUPERFLUA.



Senecio vulgaris. Common Groundsel. coroll. nudis; fol. pinnato-sinuatis, amplexicaulis; flor. sparsis. • April. In cultivated ground &c. • Annual.




THE JOURNAL OF THE AMERICAN MEDICAL ASSOCIATION
PUBLISHED WEEKLY
CHICAGO, ILL., U.S.A.
1914

SYNGENESIA. POLYG. SUPERF.



Senecio. crucifolius. Hoary Perennial Ragwort.
coroll. radiantibus; fol. pinnatifidis, dentatis,
subhirtis; caule erecto.
July. In Woods, Hedges, &c.

SYNGENESIA. POLYG. SUPERF.



Inula. dysenterica. Middle Fleabane.

*fol. amplexicaulibus, cordato-oblongis; caule villosa,
paniculato; squamis calycinis, setaceis.*

(August. Banks of Rivers. Perennial.

J. Gellier sc.



1850-1851 1852-1853
1854-1855 1856-1857
1858-1859 1860-1861
1862-1863 1864-1865

SYNGENESIA. POLYGAMIA. SUPERFLUA.



0



Bellis perennis. Common Daisy.
Scapo. nudo. March to October. In meadows.
Perennial.

THE JOURNAL OF THE AMERICAN MEDICAL ASSOCIATION
PUBLISHED WEEKLY
CHICAGO, ILL., U.S.A.
1917



Published by the American Medical Association, 535 North Dearborn Street, Chicago, Ill.
Subscription price, \$5.00 per annum in advance.
Single copies, 15 cents.
Entered as Second-Class Matter, October 3, 1917, under Post Office No. 383, at Chicago, Ill., under special permission of the Post Office and General Land Office. Acceptance for mailing at special rate of postage provided for in Act of October 3, 1917, authorized on July 1, 1918.
Postage paid at Chicago, Ill.

SYNGENESIA. POLYGAMIA. SUPERFLUA.




Chrysanthemum Leucanthemum. Great Daisy.
Fol. amplexicaulibus, oblongis; superne serratis;
inferne dentatis. May in Pastures.

THE UNIVERSITY OF CHICAGO



THE UNIVERSITY OF CHICAGO
LIBRARY
1100 EAST 58TH STREET
CHICAGO, ILL. 60637

SYNGENE SIA. POLYGAMIA. SUPERFLUA.



Anthemis arvensis. Corn Chamomile.

receptac. conicis: paleis setaceis, sem. coronato-marginatis.


July. In Corn-fields &c. Biennial.

THE UNIVERSITY OF CHICAGO PRESS

SYNGENESIA. POLYGAMIA. SUPERFLUA.



Achillea Ptarmica. Sneezewort. fol. lanceolatis, acuminatis, (argute serratis).
August. In moist Woods, &c. Perennial.



SYNGENESIA. POLYGAMIA. FRUSTRANEA



*Centaurea Cyanus. Blue-bottles. calyc. serratis, fol.
linearibus, integerrimis; infimis dentatis.
July. Annual. Corn-fields.*



SYNGENESIA POLYGAMIA FRUSTRANEA.



Centaurea *Jacea*. Common Knapweed. calyc. scarious, laceris; fol. lanceolatis; radicalibus sinuato-dentatis; ramis angulatis. July. In meadows, &c.



Helianthus annuus L.

SYNGENESIA. MONOGAMIA.



Viola hirta. Hairy Violet.

*acaulis, foliis petiolisque hirsutis, bractæis infra
medium pedunculi*

February. In Hedges, &c. Perennial.

SYNGENESIA. MONOGAMIA.



Viola odorata. Sweet Violet.
acaulis, fol. cordatis, stolonibus reptantibus.
March. In Hedges.

ALCOBORN ALBERT

[Faint handwritten notes at the bottom of the page]

SYNGENE SIA. MONOGAMIA.



Viola canina. Dog's Violet.
caule adultiore adscendente, fol. oblongo-cordatis.
Hedges. Perennial. March.

STYLIDIA DICHOTOMA



Stylidia dichotoma (L.) Willd.
 Stylidiaceae
 Stylidia dichotoma (L.) Willd.

GYNANDRIA. DIANDRIA.



Orchis mascula. Male Fools' Orchis.
Culbis indivisis, nectarii labio quadrilobio crenulato:
cornu obtuso, petalis dorsalibus reflexis.
April. In Woods, &c. Perennial.

ALGAE (continued) ALGAE (continued)




Algae (continued)
Algae (continued)
Algae (continued)

GYNANDRIA. DIANDRIA.



Orchis morio. Female Fools' Orchis.

*Culbis indivisis, nectarii labio quadrifido crenulato: cornu
obtusio adscendente, petalis obtusis conniventibus.
May. Meadows. Perennial.*



THE NEW YORK BOTANICAL GARDEN
 HERBARIUM
 1817



Orchis latifolia. Male-handed Orchis.
bulbis subpalmatis rectis, nectararii conici: labio
trilobo lateribus reflexo, bracteis flore longioribus.
May. Perennial.



Planta de la montaña
que se encuentra en la zona de
los cerros de la zona de la montaña.

GYNANDRIA. DIANDRIA.



Orchis bifolia. Butterfly Orchis.
bulbis indivisis, nectarii labio lanceolato integerrimo:
cornu longissimo petalis patentibus.
May In Woods. Perennial.

ADDITIONAL PLANTS



PLANT OF THE YEAR 1851
GIVEN BY THE
LORDS OF THE MANOR OF
ST. MARTIN'S, LONDON
TO THE
GENTLEMEN OF THE SOCIETY OF
GARDENERS

GYNANDRIA.

DIANDRIA.



Ophrys . Apifera. Bee Orchis.
Bulbis subrotundis; scapo folioso; nectararii
labio quinquelobo; lobis subtus inflexis.
June. In dry Pastures. Perennial.

1847



1847

GYNANDRIA.

DIANDRIA.




Ophrys muscifera. Fly Orchis.

Bulbis subrotundis; scapo folioso; nectarii labio quadrifido.
In meadows &c. May. Perennial.

1870

1870



1870

1870

MONOECIA. TETRANDRIA.



BUXUS. *sempervirens*. Box-Tree.
A. Shrub. March.

THE HISTORY OF THE



MONOECIA.

POLYANDRIA.



Sagittaria sagittifolia. Arrow-head. ~
fol. sagittatis, acutis. ~
June. In ditches, &c. Perennial.




Asplenium adnigrum
L. Sp. Pl. 1033. t. 12. f. 1.
Asplenium adnigrum L.

DIOECIA.

ENNEANDRIA.



Mercurialis perennis. Dog's Mercury.
caule simplicissimo, fol. scabris.
March. Perennial. In Hedges, &c.



Verbena officinalis L.
 Verbena officinalis L.
 Verbena officinalis L.
 Verbena officinalis L.



Asplenium scolopendrium. *Hart's-Tongue*.
frondibus simplicibus, cordato lingulatis, integerrimis,
stipulis hirsutis. • Among Rocks.



[Faint, illegible handwriting at the bottom of the page, possibly a signature or a note.]

CRYPTOGAMIA FILICES.



Asplenium. Ceterach. Spleenwort. frond. pinnatifidistobis alternis, confluentibus, obtusis.
On old walls, fissures of rocks, July &

CRYPTOGAMIA. FILICES.




Asplenium *Trichomanes* Common Maiden-hair.
frond. pinnatis; pinn. subrotundis,
crenatis. On old Walls, &c.

CRYPTOGAMIA. FILICES.



Asplenium. Marinum. Sea Maiden-hair. frond.
pinnata; pinn. obovatis, serratis,
superne gibbis, obtusis; basi cunea-
tis. On rocks on the Coast.

CRYPTOGAMIA FILICES.



Asplenium. Ruta muraria. White Maiden-hair.
frond. alternatim decompositis; foliol.
cuneiformibus, crenulatis. In the
fissures of Rocks.




ALPHABETICAL LIST OF THE BOOKS
IN THE COLLECTION OF THE
NEW YORK PUBLIC LIBRARY
ASTOR LENOX AND TILDEN FOUNDATIONS
1897



Polypodium vulgare. Common Polypody.
frond. pinnatifidis: pinn. oblongis, subserratis obtusis;
radic. squamata.
. At the roots of Trees, &c. Perennial.



PLANTAIN
The plantain is a very common
weed, and is found in great
abundance in all parts of the
country.



Lichen ciliaris. *Ciliated Lichen.*

*foliaceus, erectiusculus; laciniis linearibus, ciliatis;
scutellis pedunculatis, crenatis.*

On Trunks of Trees.




Mas.

Lichen calicaris. *Beaked Lichen.*

foliaceus, erectus, linearis, ramosus, lacunosus,
convexus, mucronatus.

Upon Trees, & Rocks, especially on the Sea-coast.



Femina.

Lichen farinaceus. *Narrow-cut warty Lichen.*

foliaceus, erectus, compressus, ramosus;
verrucis marginalibus farinosus.

On Trunks of Trees.



Class
Library of the
University of
Cambridge
The University of
Cambridge
Library



Received of
The University of
Cambridge
Library
The University of
Cambridge
Library




Lichen fraxineus. Great Long-leaved wrinkled Lichen.
foliaceus, erectus, oblongus, lanceolatus, sublacinatus,
lacunosus, glaber, scutellis subpedunculatis.
Upon the Branches of Trees.



Lichen *pyxidatus*. Common Cup-Lichen.
scyphifer simplex, crenulatus; tuberculis fuscis.
 On Banks, Rocks, & about the roots of old Trees.



Agaricus cinnamomeus. Brown Agaric.
stipitatus; pileo sordide flavo; lamellis luteo-rufis.
In Woods.



Agaricus Equestris. Starry Agaric.

Stipitatus pilleo pallido: disco stellatim luteo; lamellis sulphureis.
Dry pastures. May.



In Aberystwith meads.



*See note. In 1762
 the first specimen was found. Since that time
 it has been found in various places.*



Agaricus campanulatus. Bell Agaric.
stipitatus, pileo campanulato striato, pellucido, lamellis
adscendentibus, stipite nudo.
Autumn. In pastures.



Agrostis capillaris L.
Agrostis alba L.
Agrostis arvensis L.
Agrostis canina L.




Boletus suberosus. *White Cork Boletus.*

Acaulis, pulvinatus, albus, leviss; poris acutis difformibus.
Upon the Trunks of Birch and Willow-trees.
continuing the whole Year.




The following is a list of the
 names of the persons who
 have been elected to the
 office of the Secretary of the
 Board of Education for the
 year 1855.





Boletus versicolor. Striped Boletus.
acaulis, fasciis dicoloribus, poris albis.
Upon the Trunks of Old Trees, frequent.

1871

1871



Belmonte - London 21st Oct 1871
number of 1871 - 1872
from the records of 1871 - 1872



Peziza cyathoides Smooth Scarlet *Peziza*.

cyathiformis, margin obtuse, erecto.

Upon rotten sticks, on ditch banks in shady places.

J. Walther sc.



Clavaria hypoxylon. Flat horned Clavaria.
ramoso-cornuta compressa.

Upon rotten trunks of Trees.. November.. March.



PLATE I. A. B. C. D. E. F. G. H. I. J. K. L. M. N. O. P. Q. R. S. T. U. V. W. X. Y. Z.

PLATE I. A. B. C. D. E. F. G. H. I. J. K. L. M. N. O. P. Q. R. S. T. U. V. W. X. Y. Z.

PLATE I. A. B. C. D. E. F. G. H. I. J. K. L. M. N. O. P. Q. R. S. T. U. V. W. X. Y. Z.

DECANDRIA.

TRIGYNIA.



Arenaria trinervia. Plantain-leaved Chickweed.
fol. ovatis acutis petiolatis nervosis.
• Hay. • Annual. In moist woods & hedges.

J. Collier sc.

DIADELPHIA. DE CANDRIA.



Vicia sativa Common Vetch.

legum. sepalibus sublinatis erectis, fol. retusis, stip. notatis.
Hedges June. Annual.

THE NEW YORK BOTANICAL GARDEN




Herb. No. 10000
C. L. C. 10000
C. L. C. 10000

DIADELPHIA. HEXANDRIA.



Fumaria officinalis. Fumitory.
pericarp. monospermis racemosis, caule diffuso.
April. Waste ground. Annual.



DIADELPHIA. OCTANDRIA.



Polygala vulgaris. Milkwort.

*flor. cristatis racemosis, caul. herbaceis simplicibus
procumbentibus, fol. lineari-lanceolatis.*

April. Heaths, &c. Perennial.

J. Cöttyer sc



THE UNIVERSITY OF CHICAGO
LIBRARY
1000 S. EAST
CHICAGO, ILL. 60607
TEL. 777-3000

DIANDRIA.

MONOGYNIA.



Veronica Beccabunga. Brooklime.
racemis lateralibus, fol. ovatis, planis, caule repente.
In shallow water. June. Perennial.

J. Collier sc

1870-1871




Victoria Amazonica (Lamour.)
Victoria Amazonica (Lamour.)
Victoria Amazonica (Lamour.)

DIDYNAMIA. GYMNOSPERMIA.



Ajuga reptans. Bugle.
stolonibus reptantibus.
May. In meadows, &c. Perennial.

UNIVERSITY OF CHICAGO PRESS



Chicago, Illinois
University of Chicago Press
1963

M
per.

DIDYNAMIA. ANGIOSPERMIA.



Melampyrum sylvaticum. Yellow Cow-wheat.
flor. secundis lateralibus, fol. conjugationibus remotis,
coroll. hiantibus.
June. In woods. Annual.

DIDYNAMIA. GYMNOSPERMIA.



Prunella vulgaris. Self-heal.
fol. omnibus ovato-oblongis petiolatis.
junc. In meadows. Perennial.



1017-1018 62 1017-1018
1017-1018 62 1017-1018
1017-1018 62 1017-1018

DIDYNAMIA GYMNOSPERMIA



Scutellaria galericulata. Hooded Willow-herb.
fol. cordato-lanceolatis crenatis, flor. axillaribus.
June. Banks of Rivers &c. Perennial.

HEXANDRIA. MONOGYNIA.



Ornithogalum luteum. Yellow Star of Bethlehem.
scapo anguloso dyphylllo, pedunc. umbellatis simplicibus.
March. In the Northern Counties. Perennial.

THE HISTORY OF THE



118

THE HISTORY OF THE
 PLANT
 THE HISTORY OF THE
 PLANT

ICOSANDRIA. DIGYNIA.



Crataegus Oxyacantha. Hawthorn.
fol. obtusis subtrifidis serratis.
April. In Woods and Hedges. A Tree.

ALYSSUM AINUM



Allyssum ainum

Allyssum ainum

MONADELPHIA. DECANDRIA.



Geranium pratense. Crows-foot Cranesbill.
pedunc. bifloris, fol. subpeltatis multipartitis rugosis
acutis, petalis integris.
In moist pastures. May. Perennial.

MONADELPHIA. DECANDRIA.



Geranium rotundifolium. Round-leav'd Cranesbill.
 pedunc. bifloris, petalis subintegris longitudine
 calycis, caule prostrato, fol. reniformibus incis.
 June. On walls. Annual.

PENTANDRIA.

DIGYNIA.



Gentiana campestris. Vernal Dwarf Gentian.
coroll. quadrisidis, fauce barbatis.
Mountainous Pastures. Annual July. D

1847


1847



1847

1847

PENTANDRIA. DIGYNIA.



Gentiana. Amarella. Autumnal Gentian.
 coroll. quinquesidis, hypocrateriformibus faucibus barbatis.
 Dry pastures. Annual. July.

PENTANDRIA.

DIGYNIA.



Gentiana Centaurium. Lef's Centory.
coroll. quinquesidis, infundibuliformibus; caule
dichotomo; pistillo simplici.
Junc. Annual. in dry Pastures.

1811

1811

1811

1811



1811

1811

1811

PENTANDRIA.

DIGYNIA.



Sanicula Europaea. Sanicle.
foli radicalibus simplicibus, flosculis omnibus sessilibus.
In woods. Perennial. May.

J. Collyer sc.



Ranunculus acris L.
Ranunculus repens L.
Ranunculus abortivus L.

PENTANDRIA.

MONOGYNIA.




Anagallis. arvensis. Pimpernel.
Soliis indivisis, caule procumbente. May.
Annual. In corn fields. —

1842

1842

1842

1842



Amphipolis, caerulea Pimpernia
1842

PENTANDRIA.


MONOGYNIA.



Campanula rotundifolia *Round-leaved Bell-flower.*
fol. radicalibus reniformibus; caulinis linearibus.
July. Perennial. Waste Ground &c.

ATCYOONIA

ATCYOONIA



ATCYOONIA
ATCYOONIA
ATCYOONIA

PENTANDRIA.

MONOGYNIA.



Convolvulus arvensis. Small Bind-weed.
fol. sagittatis, utrinque aculis; pedunc. subunifloris
Junc. Perennial. Fields &c.

1870-1871

1870-1871

Colony of the ...
...
...

PENTANDRIA.

MONOGYNIA.



Convolvulus sepium. Great Bind-weed.

fol. sagittatis, postice truncatis; pedunc. tetragonis, unifloris.
July. In hedges. Perennial.

our of this paper from the
the following account of the
the following account of the
the following account of the

PENTANDRIA. MONOGYNIA.



Lysimachia. Nummularia. Money-wort.
fol. subcordatis; flor. solitariis; caule repente. June.
Perennial. In moist meadows &c.



Handwritten text at the bottom of the page, likely a title or description, written in a cursive script. The text is partially obscured by the illustration and is difficult to read due to fading and the style of the handwriting.

PENTANDRIA.

MONOGYNIA.



Myosotis scorpioides. Mouse-ear Scorpion-grass.
semin. nudis; foliorum apicibus callosis.
April. Perennial. In moist & dry situations.



1840
The first of the year
The first of the year
The first of the year


PENTANDRIA MONOGYNIA.



Primula

Veris. Cowslip. foliis dentatis, rugosis; scapo multifloro. In meadows. Perennial. April.

PENTANDRIA MONOGYNIA.



Primula vulgaris. Primrose. foliis *dentatis*,
rugosis; scapo *unifloro*. in hedges &c.
Perennial. *Aprile.*

PENTANDRIA.

MONOGYNIA.



Primula farinosa. Bird's Eye.

fol. crenatis, glabris; florum limbo plano. May. Perennial.
In marshes, upon Mountains in the North.


PENTANDRIA.

MONOGYNIA.



Pulmonaria officinalis. Buglos Cowslip.
folia scapi floralis ovalia decurrentia radicalia
petiolata et ovato-lanceolata.
April. Perennial. Hampshire, in Woods.

J. Galtier.



Planta in frons, foliis oppositis
petiolatis ovatis serratis
flos pendulus campanulatus

PENTANDRIA. MONOGYNIA.




Ribes nigrum. Black Currants.

inermis, racem. pilosis, flor. oblongis.

In moist Woods, also in Gardens. April. A shrub.

1845




Handwritten text at the bottom of the page, possibly a signature or a note.

PENTANDRIA. MONOGYNIA.



Ribes Grossularis. Goose-berry Tree.

ram. aculeatis, petiolorum ciliis pilosis, baccis hirsutis.
In hedges also in Gardens. April. A Shrub.



Ribes (quadrifidum) ...
...
...

PENTANDRIA. MONOGYNIA.



Ribes rubrum. Currants.

inermis, racem. glabris pendulis, flor. planiusculis.
In hedges: also in Gardens. • April. a Shrub.

J. Colyer sc.

555 1200201 1200201




1200201

1200201

1200201

PENTANDRIA. MONOGYNIA.



Vinea minor Lesser Periwinkle.

caul. procumbentibus; fol. lanceolato-ovatis; flor. pedunculatis.
Perennial. In Woods & Hedges.

1871



THE UNIVERSITY OF CHICAGO
LIBRARY
CHICAGO, ILL.

PENTANDRIA. MONOGYNIA.



Vinca major. Great Periwinkle.
 caul. erectis; fol. ovatis, flor. pedunculatis.
 Perennial. In Woods & Hedges.

2020/10/10 10:10




... in the ...
... of the ...
... of the ...

PENTANDRIA. PENTAGYNIA.



Linum Catharticum. Purging Flax.
fol. oppositis, ovato-lanceolatis; caule dichotomo;
coroll. acutis. May. Annual
In dry Fields.



THE HISTORY OF THE
REIGN OF THE
KING OF GREAT BRITAIN
IN THE YEAR 1701.

PENTANDRIA.

PENTAGYNIA.



Statice . Armeria. Thrift.

Scapo simplici, capitato; fol. linearibus.
July. Perennial. In meadows near the Sea.



ANATOMY PLATE

ANATOMY PLATE

PENTANDRIA.

TRIGYNIA.



✓ 1 8

Alsine media. Common Chickweed.
petal. bipartitis; fol. ovato-cordatis.
February. Common. Annual.

THE JOURNAL OF
JAMES M. SMITH



1840-1841
1842-1843
1844-1845

PENTANDRIA. TRIGYNIA.



Viburnum Lantana. Pliant meally Tree.
fol. cordatis serratis venosis, subtus tomentosus.
April. In Hedges.

POLYANDRIA. MONOGYNIA.



Chelidonium majus. Celandine.
pedunc. umbellatis.
May On waste Ground.




Callitriche angustifolia
Callitriche angustifolia
Callitriche angustifolia

POLYGAMIA. MONOECIA.




Parietaria officinalis. Pellitory of the Wall.
fol. lanceolato ovatis, pedunculis dichotomis, calycibus diphyllis.
May. On walls. Perennial.

J. Galtier sc.





Portularia spinosa, Liliaceae of the Herb.
This plant is common in the lowlands of the
Mediterranean, and is also found in the
Mediterranean, and in the lowlands of the

POLYGAMIA. MONOECIA.



Valantia Cruciata. Crosswort.
flor. masculis quadrifidis, pedunc. diphyllis.
May. In Meadows. Perennial.



TETRADYNAMIA. SILIQUOSA.



Brassica napus. Wild Nettle.
radice caulescente fusiformi.
Ditch Banks. May. Biennial.

THE HISTORY OF THE



By J. H. ...

London: ...

TETRADYNAMIA. SILIQUOSA.



Cardamine *hirsuta*. Hairy Cuckow-flower:
fol. pinnatis flor. tetrandris.
April. In Ditches. Annual.

Handwritten text at the top of the page, possibly a title or header.



Handwritten text at the bottom of the page, possibly a signature or footer.

TETRADYNAMIA. SILIQUOSA.



Erysimum Barbarea. Winter Cresses.
fol. lyratis: extimo subrotundo.
May. In ditches. Perennial.

1850-1851 W. 1000



1000-1000


TETRANDRIA. MONOGYNIA.




Galium . Aparine . Cleavers.

*fol. octonis lanceolatis carinatis scabris retrorsum
aculeatis, geniculis villosis, fruct. hispidis.*

April. Annual. In hedges, &c.



167
TETRADYNAMIA. SILIQUOSA.



Turritis hirsuta. Hairy Tower Mustard.
fol. omnibus hispidis; caulinis amplexicaulibus.
June. On Rocks & old walls. Biennial.



